



Dust Extractor

**PNEUMATIC TOOL
POWER TOOL**

**AUTOMATIC CONTROL
TO START THE VACUUM**

**MANUAL & AUTO FILTER
CLEANING SYSTEM SERIES**



▶ JS5838CEAV



▶ Specifications

1. Type	Dry Vacuum Cleaner OR Wet & Dry Vacuum Cleaner	
2. Voltage	110V~120V	220V~240V
3. Consumption Power	1050W~1250W	1150W~1350W
4. Air Flow	2.9m ³ /min±10%	
5. Max Vacuum	2450mmH ₂ O±10%	
6. Drum Capacity	38L	
7. Measurement	790*545*560mm	
8. Weight	17.31Kgs (For Dry type) / 17.41Kgs (For Wet & Dry type)	

▶ Accessory

1. 2 in 1 Hose for Pneumatic tools(5M)*1pc
2. 124 Dust bag/H13 dust class(830*350mm)*1pc
3. Paper Filter(255*190*50mm) *1pc
4. Wet Filter*1pc (For Wet & Dry Vacuum Cleaner)

▶ Optional Accessory

- ◆Wet Pick-Up Accessory Kit *1set (For Wet & Dry Vacuum Cleaner)
- ◆Paper Filter/M dust class(255*190*50mm) *1pc
- ◆Hose Hook*1pc
- ◆Air Filter Regulator Set*1set
- ◆Tool rack set (Carton size: 545*235*590mm)*1set
(Attached Pad hook*5pcs · Tool hook**1pc · Multipurpose hook *1pc)

Related Accessories(For Tool Rack Set) :

A.Compartment Tray (Small)*1set

B.Compartment Tray (Big)*1set



Features



Speed Adjustable

Vacuum cleaner's suction can be adjust.



Auto/Manual Vacuuming

The vacuum to start control of the pneumatic tool or power tool, increase the convenience of operation.

Wet Vacuum

When the liquid reaches max water level, the red light indicator is off and the motor stops running. Please empty and cleaning the bucket.

(For Wet & Dry Vacuum Cleaner)

Inhale

Max Water Level

Air Filter Regulator Set

Could be combined with air filter regulator (including hose hook) to filter dust in hose of Air compressor. (Option)

Hose Hook

Could be combined with hose hook to collect hose. (Option)

Filter Cleaning System

- Electric Vibration Cleaning Filter System (MANU): Triggering filter cleaning system manually to improve efficiency of dust extractor performance.
- Automatic Electric Vibration Cleaning Filter System (AUTO): Triggering filter cleaning system automatically when sensor detected the low suction, to Improve efficiency of dust extractor performance. It also can be triggered filter cleaning system manually at the same time.

Double Filtration

Enclose high capacity collection bag, clean-up easily. Attached Filtering paper to filter dust.



I.S.S. Intelligent Service System

Memorize working time, control speed, signify liquid-level, start by manual or automatic, indicate to replace motor carbons, record after-sales service ...etc. (Option)

Multifunctional Tray

A notch on the top which can be placed items.

Option Accessory

